

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



ae

OWN ROOT: Rhododendron, Azalea, Andromeda, Holly, Japanese Red Maple, Pink Dogwood, Magnolia, Gordonia, Cypress, Juniper, Taxus, Thuja, Tsuga.

Located on Jericho Tpke. 1000 feet East of Northern State Parkway intersection.

Sec. 34.66 PL&R
U. S. POSTAGE
PAID
Westbury, L. I.
Permit No. 5

WE 7-1100
WESTBURY ROSE CO., INC.
NURSERMEN
WESTBURY, L.I., N.Y.

RBT. R SHAW, LIBRARIAN
U S D A
WASHINGTON D C

FORM 3547 REQUESTED

This cancels all previous quotations. Prices quoted are subject to change without notice and orders are accepted subject to prior sale. Prices quoted per 100 rate each; 10% off on 1000 lots; 20 at 100 rate; 250 at 1000 rate 20% added for less than 20 of a variety. Not less than 10 of a variety sold.

1953

RED JAPANESE MAPLE—Acer Palmatum in varieties. True to name, propagated from selected plants, holding their brilliant coloring throughout the season, not to be compared with seedlings of doubtful color and unknown habit.



10/52

POSTMASTER

JAPANESE MAPLES

		Each at 100 rate
Acer palmatum atropurpureum.....	2 1/2" P	\$0.75
*Palmatum atropurpureum.....	3 1/2" P	1.25
Palmatum atropurpureum nigrum.....	2 1/2" P	1.00
Palmatum dissectum (Cutleaved green).....	2 1/2" P	.75
Palmatum dissec. atropurpureum...	2 1/2" P	1.00
ABELIA grandiflora.....	4- 6" 2 1/2" P	.25
*grandiflora.....	9-12" 3 1/2" P	.75

ANDROMEDA (Pieris)

Andromeda japonica.....	4- 6" TF	\$0.20
Japonica.....	9-12" TTB	1.00
Japonica.....	12-15" B&B	1.50
Japonica.....	15-18" B&B	2.00
Japonica compacta.....	4- 6" TF	.22
Floribunda.....	2- 3" TF	.15

62.61

WHOLESALE PRICE LIST

SPRING 1953

AZALEAS

			Each at 100 rate
<i>Azalea amoena</i>	Hardiest red.....	4- 6" TF	\$0.20
<i>Amoena</i>		6- 9" TTB	.60
<i>Coral Bells</i>	Salmon pink.....	4- 6" TF	.20
<i>Fedora</i>	Clear rose-pink.....	4- 6" TF	.20
<i>Fedora</i>		6- 9" TTB	.60
<i>Hinocrimson</i>	Compact crimson..	4- 6" TF	.25
<i>Hinodegiri</i>	Reliable red.....	4- 6" TF	.20
<i>Hinodegiri</i>		6- 9" TTB	.60
<i>Hinodegiri</i>		9-12" TTB	1.20
<i>Hinomayo</i>	Clear pink.....	4- 6" TF	.20
<i>Kaempferi</i>	Salmon orange and red.	4- 6" TF	.20
<i>Kaempferi</i>		6- 9" TTB	.50
<i>Kaempferi</i>		9-12" TTB	1.00
<i>Ledifolia alba</i>	Pure white.....	4- 6" TF	.20
<i>Louise Gable</i>	Double salmon pink....	4- 6" TF	.25
<i>Macrantha</i> (Pink)	Late clear pink....	4- 6" TF	.20
<i>Macrantha Brilliant</i>	Salmon red.....	4- 6" TF	.22
<i>Malvatica Hybrid</i>	Red, orange and pink.....	4- 6" TF	.20
<i>Malvatica Hybrid</i>		6- 9" TTB	.60
<i>Maxwelli</i>	Cerise red.....	4- 6" TF	.20
<i>Pink Pearl</i>	Soft pink.....	4- 6" TF	.20
<i>Salmon Beauty</i>	Salmon pink.....	4- 6" TF	.20
<i>Snow</i>	Pure white.....	4- 6" TF	.20
<i>Yodogawa</i>	Double lavender purple.	4- 6" TF	.20
<i>Yodogawa</i>		6- 9" TTB	.60

AZALEA SEEDLINGS—See Seedlings.


<i>BERBERIS julianae</i>	4- 6" 2½"P	.25
--------------------------------	------------	-----

CHAMAECYPARIS (*Retinospora*)

<i>Chamaecyparis obtusa crippei</i>	4- 6" 2½"P	\$0.30
<i>Obtusa gracilis</i>	4- 6" 2½"P	.30
<i>Pisifera</i>	6- 8" TBR	.15
<i>Pisifera</i>	6- 8" 2½"P	.20
<i>Pisifera aurea</i>	6- 8" TBR	.15
<i>Pisifera aurea</i>	6- 8" 2½"P	.20
<i>Pisifera filifera</i>	6- 8" TBR	.15
<i>Pisifera filifera</i>	6- 8" 2½"P	.20
<i>Pisifera filifera aurea</i>	6- 8" TBR	.20
<i>Pisifera filifera aurea</i>	6- 8" 2½"P	.25
<i>Plumosa</i>	6- 8" TBR	.15
<i>Plumosa</i>	6- 8" 2½"P	.20
<i>Plumosa aurea</i>	6- 8" TBR	.15
<i>Plumosa aurea</i>	6- 8" 2½"P	.20
<i>Plumosa lutescens</i>	3- 5" TBR	.18
<i>Plumosa lutescens</i>	3- 5" 2½"P	.23
<i>Plumosa lutescens</i>	6- 9" TB	.50
<i>Squarrosa veitchi</i>	6- 8" TBR	.15
<i>Squarrosa veitchi</i>	6- 8" 2½"P	.20
<i>CYTISSUS andreaeanus</i>	6- 8" 2½"P	.30
<i>Scoparius</i>	6- 8" 2½"P	.30

DOGWOODS

<i>Cornus florida fructi lutea</i>	6- 8" 2½"P	\$0.50
<i>Florida rubra</i>	6- 8" 2½"P	.50
<i>Florida rubra</i>	8-10" 2½"P	.60
<i>Florida rubra</i>	10-12" 2½"P	.75
* <i>Florida rubra</i>	10-15" 3½"P	1.00
<i>Florida magnifica</i>	6- 8" 2½"P	.75
<i>Florida pendula</i>	6- 8" 2½"P	.60
<i>Florida plena</i>	6- 8" 2½"P	.60
<i>Kousa chinensis</i>	6- 8" 2½"P	.60
<i>COTONEASTER apiculata</i>	3- 5" 2½"P	.30
<i>Horizontalis</i>	3- 5" 2½"P	.30
* <i>Horizontalis</i>	6- 9" 3½"P	.60
<i>GORDONIA (Franklinia)</i>		
<i>Alatamaha</i>	4- 6" 2½"P	.30



DOGWOOD



HOLLY

I L E X

HOLLY

Each at
100 rate

<i>Ilex altaclarens</i>	3- 5"	2 1/2" P	\$0.30
<i>Aquifolia</i> (Hardy form).....	3- 5"	2 1/2" P	.30
<i>Cornuta</i>	3- 5"	2 1/2" P	.30
<i>Cornuta burfordi</i>	3- 5"	2 1/2" P	.30
<i>Crenata bullata</i>	3- 5"	CBR	.10
<i>Crenata bullata</i>	3- 5"	TF	.15
<i>Crenata bullata</i>	4- 6"	TF	.20
<i>Crenata bullata</i>	6- 8"	TTF	.30
<i>Crenata bullata</i> Spread	4- 6"	TTF	.50
<i>Crenata bullata</i> Spread	6- 9"	TTF	.75
<i>Crenata bullata</i> Spread	9-12"	TTF	1.00
<i>Crenata bullata</i> Spread	12-15"	B&B	1.50
<i>Crenata helleri</i>	3- 4"	TF	.20
<i>Crenata helleri</i>	3- 4"	2 1/2" P	.25
<i>Crenata latifolia</i>	3- 5"	CBR	.10
<i>Crenata latifolia</i>	4- 6"	TF	.20
<i>Crenata latifolia</i>	6- 9"	TF	.30
<i>Crenata microphylla</i>	3- 5"	CBR	.15
<i>Crenata microphylla</i>	4- 6"	TF	.20
<i>Crenata rotundifolia</i>	3- 5"	CBR	.10
<i>Crenata rotundifolia</i>	4- 6"	TF	.20
<i>Crenata rotundifolia</i>	6- 9"	TF	.30
<i>Glabra</i>	3- 5"	2 1/2" P	.20
<i>Opaca brilliantissima</i>	3- 5"	2 1/2" P	.35
* <i>Opaca brilliantissima</i>	6- 8"	3 1/2" P	1.00
<i>Opaca femina</i>	3- 5"	2 1/2" P	.30
<i>Opaca mascula</i>	3- 5"	2 1/2" P	.30
<i>Opaca M & F. Paired</i>	4- 6"	2 1/2" P	.50
<i>Pendunculosa</i>	3- 5"	2 1/2" P	.30

JUNIPERS

<i>Juniperus communis andorra</i>	4- 6"	2 1/2" P	\$0.20
<i>Communis depressa</i>	4- 6"	2 1/2" P	.20
<i>Excelsa stricta</i>	4- 6"	2 1/2" P	.20
<i>Hetzi</i>	4- 6"	2 1/2" P	.30
<i>Horizontalis</i>	4- 6"	2 1/2" P	.20
<i>Horizontalis glauca</i>	4- 6"	2 1/2" P	.20
<i>Litoralis</i>	4- 6"	2 1/2" P	.20
<i>Parsoni</i>	4- 6"	2 1/2" P	.20
<i>Pfitzeriana</i>	4- 6"	2 1/2" P	.25
LAUROCERASUS schipkaensis	4- 6"	2 1/2" P	.30
<i>Zabeliana</i>	4- 6"	2 1/2" P	.30
LEUCOTHOE axillaris	3- 5"	TF	.25
<i>Catesbaei</i>	3- 5"	TF	.25

MAGNOLIAS

<i>Magnolia alba superba</i>	8-12"	2 1/2" P	\$0.60
<i>Alexandrina</i>	8-12"	2 1/2" P	.60
<i>Lennei</i>	8-12"	2 1/2" P	.75
<i>Liliflora</i>	8-12"	2 1/2" P	.50
<i>Rustica rubra</i>	8-12"	2 1/2" P	.60
<i>Soulangeana</i>	8-12"	2 1/2" P	.45
* <i>Soulangeana</i>	12-15"	3 1/2" P	.80
<i>Soulangeana</i> Dormant	12-15"	BR	.90
<i>Soulangeana</i> Dormant	15-18"	BR	1.25
<i>Soulangeana nigra</i>	8-12"	2 1/2" P	.50
* <i>Soulangeana nigra</i>	12-15"	3 1/2" P	.90
<i>Soulangeana nigra</i> Dormant	12-15"	BR	1.00
<i>Stellata, White Star</i>	6- 8"	2 1/2" P	.50
<i>Stellata rosea</i>	6- 8"	2 1/2" P	.50
<i>Stellata, Waterlily</i>	6- 8"	2 1/2" P	.60
* <i>Stellata, Waterlily</i>	9-12"	3 1/2" P	.90

PACHYSANDRA terminalis..... CBR .05

PYRACANTHA coccinea lalandi..... 4- 6" 2 1/2" P .30

PIERIS—See *Andromeda*

RETINOSPORA—See *Chamaecyparis*

*3 1/2" Potted Plants are to be picked up—truck delivery only

TAXUS (Yews)

			Each at 100 rate
<i>Taxus baccata repandens</i>	3- 5"	TBR	\$0.15
<i>Baccata repandens</i>	3- 5"	2½"P	.20
<i>Baccata repandens</i> Spread	6- 9"	TTB	.35
<i>Baccata repandens</i> Spread	9-12"	TTTB	.60
<i>Cuspidata</i>	4- 6"	TBR	.15
<i>Cuspidata</i>	6- 8"	2½"P	.20
<i>Cuspidata</i>	6- 9"	TTB	.25
<i>Cuspidata capitata</i>	4- 6"	TBR	.18
<i>Cuspidata capitata</i>	6- 8"	TBR	.25
<i>Cuspidata capitata</i>	6- 8"	2½"P	.30
<i>Cuspidata nana (brevifolia)</i>	3- 5"	TBR	.15
<i>Cuspidata nana</i>	6- 8"	TBR	.20
<i>Cuspidata nana</i>	3- 5"	2½"P	.25
<i>Intermedia</i>	4- 6"	TBR	.15
<i>Intermedia</i>	6- 8"	TBR	.20
<i>Intermedia</i>	6- 8"	2½"P	.25
<i>Intermedia rosco</i>	4- 6"	TBR	.18
<i>Intermedia rosco</i>	6- 8"	TBR	.22
<i>Intermedia rosco</i>	6- 8"	2½"P	.27
<i>Media hatfieldi</i>	4- 6"	TBR	.15
<i>Media hatfieldi</i>	6- 8"	TBR	.20
<i>Media hatfieldi</i>	6- 8"	2½"P	.25
<i>Media hicksi</i>	4- 6"	TBR	.15
<i>Media hicksi</i>	6- 8"	TBR	.20
<i>Media hicksi</i>	6- 8"	2½"P	.25
<i>Media hicksi</i>	6- 9"	TTB	.30
<i>Media hicksi</i>	9-12"	TTB	.50
<i>Media hicksi</i>	12-15"	TTB	.75
<i>Media hicksi</i>	15-18"	TTB	1.00

THUJA (Arborvitae)

<i>Thuja occidentalis</i>	6- 8"	TBR	\$0.15
<i>Occidentalis</i>	8-10"	TTB	.25
<i>Occidentalis</i>	9-12"	TTB	.35
<i>Occidentalis elegantissima</i>	6- 8"	TBR	.15
<i>Occidentalis elegantissima</i>	6- 8"	2½"P	.20
<i>Occidentalis globosa</i>	6- 8"	TBR	.15
<i>Occidentalis globosa</i>	6- 8"	2½"P	.20
<i>Occidentalis lutea</i>	6- 8"	TBR	.15
<i>Occidentalis lutea</i>	6- 8"	2½"P	.22
<i>Occidentalis nigra</i>	6- 8"	TBR	.15
<i>Occidentalis nigra</i>	6- 8"	2½"P	.22
<i>Occidentalis pyramidalis</i>	6- 8"	TBR	.15
<i>Occidentalis pyramidalis</i>	6- 8"	2½"P	.22
<i>Occidentalis rosenthalii</i>	4- 6"	TBR	.15
<i>Occidentalis rosenthalii</i>	4- 6"	2½"P	.22
<i>Occidentalis spiralis (douglasi)</i>	6- 8"	TBR	.15
<i>Occidentalis spiralis</i>	6- 8"	2½"P	.22
<i>Occidentalis wareana</i>	6- 8"	TBR	.15
<i>Occidentalis wareana</i>	6- 8"	2½"P	.20


TRANSPLANTED SEEDLINGS


Healthy, Vigorous Plants, 2-4 in. High

AZALEA albrechtii. Violet red.....	\$0.20
Japonica. Orange and red shades.....	.15
Kaempferi. Salmon shades.....	.15
Mollis. Large flowering orange and red.....	.15
Mucronulatum. Early rosy purple.....	.15
Ponticum. Yellow.....	.15
Poukhanensis. Lavender.....	.15
Schlippenbachii. Royal pink.....	.20
PIERIS (Andromeda) floribunda15
RHODODENDRON atrosanguinea18
Dexter Hybrids (Hardy variety).....	.18
Charles Dickens.....	.18
Fortunae Hybrids (Selected).....	.18
Hybrids (Hand-pollinated, best reds).....	.25
RHODODENDRON SPECIES, Carolina15

Braving the cold winds of
early Spring- Magnolias
bloom abundantly for
several weeks.

As specimens on the
lawn or in combina-
tion with flowering
shrubs and trees,
Magnolias are attrac-
tive through the year.





			Each at 100 rate
Viburnum burkwoodi	4- 6"	2 1/2" P	\$0.25
*Burkwoodi	8-12"	3 1/2" P	.75
Carlesi	4- 6"	2 1/2" P	.35
*Carlesi	6-10"	3 1/2" P	.90
Juddi	4- 6"	2 1/2" P	.40
*Juddi	6-10"	3 1/2" P	1.00
Plicatum	4- 6"	2 1/2" P	.25
Rhytidophyllum	4- 6"	2 1/2" P	.30
Theiferum	4- 6"	2 1/2" P	.20

CULTURAL AID FOR LINING OUT STOCK

ALL BARE ROOT and the following potted material should be planted in beds provided with lath or other suitable shading. Andromeda, Azalea, Gordonia, Leucothoe, Ilex, Magnolia, Berberis, Cotoneaster, etc.

FOR ACID LOVING PLANTS, soil in beds should be enriched with acid leaf mold and decomposed cow manure. Other stock will be greatly aided by aged manure. Peat Moss and screened sand, incorporated with heavy soil, will encourage good root action.

ALL POTTED PLANTS such as Chamaecyparis, Juniperus, Taxus, Thuja, etc. may be lined out in Spring and Early Summer in previously prepared fields.

WATERING is important unless planting coincides with a natural rainfall. A good watering at time of planting is advisable, if at all possible. This is to be followed by one or two waterings. During June and July, the beds should be watered but the watering should be tapered off during the latter part of August to prevent late soft growth.

CULTIVATING during summer months is advisable and will be of great help where water is not available.

FEEDING with well rotted manure, as previously stated, should be done at planting time. No stimulant should be applied the first year. If used later, apply early enough to allow growth to harden before frost.

WINTER PROTECTION. Most of the plants will not need shade during late summer, but replacing shading on the beds for winter months is advisable if at all possible.

MULCHING is advisable to prevent heaving and winter injury. Oats broadcasted in September, will form a good mulch in regions where oats winter kills. Oats also check annual grass and chickweed.

TERMS

PRICES: F.O.B. Westbury, N. Y.

PACKING: At cost.

SHIPPING: To destination at cost and risk of purchaser. Mode—at sellers discretion unless otherwise instructed.

CERTIFICATE: By USDA furnished.

CONDITIONS: As per our current terms, copy of which will accompany each order and be a part thereof.

PAYMENT: All or 25% with order. Balance before delivery. On orders \$25 or less add 20% service charge and CASH with order.

KEY

B—Soil Ball
B&B—Ball & Burlap
BR—Bare Root
P—Potted
T—Times Transplanted
F—Flatted
C—Rooted Cuttings
S—Seedlings
OR—Own Root

WESTBURY ROSE CO., INC.
NURSEYMEN
WESTBURY, L.I., N.Y.



RHODODENDRON HYBRIDS

Sold Only in Multiples of 20

RHODODENDRON Roseum Elegans.

Mauve pink, best landscape plant.....\$70.00 Per 100

The following Rhododendrons are \$85.00 per 100

Rhododendron album elegans.....	White, tall
Giganteum.....	Rose red
F. D. Godman.....	Red, crimson blotch
Ignatius Sargent.....	Red, light center
Lee's Dark Purple.....	Purple
Parson's Gloriosum.....	Lilac, large truss
Purpureum elegans.....	Light purple, good foliage
Roseum Pink.....	Pink, good landscape plant
Roseum Superbum.....	Soft pink, late bloomer

The following Rhododendrons are \$100.00 per 100

Rhododendron album grandiflora....	White, medium grower
Boule de Neige.....	White, dwarf
Catawbiense album.....	White, good habit
Chas. Bagley.....	Soft red, large flowers
Dr. Dresselhuys.....	Aniline red
Dr. Rutgers.....	Aniline red, crimson throat
Ed. S. Rand.....	Red, old favorite
Fastuosum fl. pl.....	Lavender
Kettledrum.....	Red, spreading habit
Lady Armstrong.....	Rose, light center
Mrs. P. den Ouden.....	Aniline red, dwarf

We also grow a limited amount of many other varieties of Named Hybrid Rhododendrons, and invite your inquiries.

Rhododendron—Small-leaved Varieties	Each at 100 rate
Wilsnii. Rose pink, dwarf.....	4-6" \$0.45
Arbutifolium. Glossy foliage, blush.....	4-6" .45



Transplanted Seedlings—Rhododendron Hybrids

	Each at 100 rate
Rhododendron, Charles Dickens.....	\$0.18
Atrosanguinea.....	.18
Dexter Hybrids (Hardy variety).....	.18
Fortunae Hybrids (Selected).....	.18
Hybrids (Hand-pollinated, best reds).....	.25
Carolina (Species).....	Seedling .15
SARCOCOCCA humilis.....	3- 4" 2½"P .25
STEWARTIA pseudocamellia.....	4- 6" 2½"P .40



TSUGA (Hemlock)

Tsuga canadensis.....	4- 6" TBR \$0.10
Canadensis.....	6- 9" TBR .15
Canadensis (heavy).....	15-18" TTBR 1.00

*3½" Potted Plants are to be picked up—truck delivery only

